

CAT6A FTP Ultra Slim Patch Cable With Color Clips

DESCRIPTION

The 10G category 6A FTP patch cable is a very smart design, users can make use of the different color clips to meet diversified applications with ease and flexibility. With the color clips, users don't have to prepare so many stocks ever since! We are very proud that our cat6a patch cord cable can pass a 100% component test for patch cord test on Fluke testers. We only use 50 μ m gold plated thickness contact blades, it raises the resistance to high temperature and humanity corrosion. This 10G patch cord is also verified by ETL.

FEATURES AND BENEFITS


- ✓ Conform to IEC, EIA-TIA performance requirements
- ✓ Gold plated contact pins
- ✓ 26-30 AWG premium grade copper conductor
- ✓ Snag-less Connectors
- ✓ ETL certified channel test
- ✓ Category 6A FTP
- ✓ Backward compatible
- ✓ Independently verified
- ✓ Choice of lengths
- ✓ LS0H outer sheath
- ✓ 25 Year system warranty

APPLICATION

- ✓ Supports category 6 (Class EA)
- ✓ Networks running up to 500MHz applications
- ✓ Connection between wall outlets or equipments

STANDARDS

RoHS Compliant
ISO/IEC 11801-1:2017
EN 50173-1:2011
ANSI/TIA 568-2.D
IEC 61156-5:2009+AMD1:2012 CSV
IEC 60332-1-2:2004
IEC 61034-2:2005+A1:2013



CHOICE OF COLORS




CAT6A FTP Ultra Slim Patch Cable

TECHNICAL SPECIFICATIONS

PARAMETERS	VALUE
Cable OD	6.0 ±0.15mm
Termination Wiring	TIA-568B *other wiring method on request
Operating Temperature	-10°C / +60°C
Compliance	ANSI/TIA-568-C.2, ISO 11801, IEC 60603-7, ETL Verified
RoHS Compliance	Compliant
Warranty	25 Year system warranty
Conductor	26AWG stranded copper
Insulators Material	Polyolefin

TECHNICAL DRAWING




Cable printing: MICROLINK CAT.6(A) S/FTP 4PR 26AWG LSZH PATCH CABLE FT4 D 0A7I001-1

- Smoke Density: IEC6103 4-2
- Halogen Amount: iec607 54-2

Remarks:

- A! indicate the length 1~9M, tolerance
- B! indicate the length 10~20M, tolerance
- C! indicate the length above 20M, tolerance +(C*1%)/-0



CAT6A FTP Ultra Slim Patch Cable

ORDER INFORMATION

PART NUMBER	DESCRIPTION
MK-C6ASPC1M-XX	Cat6A 1M FTP COLOR CLIP PATCH CORD, 26AWG
MK-C6ASPC2M-XX	Cat6A 2M FTP COLOR CLIP PATCH CORD, 26AWG
MK-C6ASPC3M-XX	Cat6A 3M FTP COLOR CLIP PATCH CORD, 26AWG
MK-C6ASPC5M-XX	Cat6A 5M FTP COLOR CLIP PATCH CORD, 26AWG

Note: XX Choice Of Color

USA & CANADA

Tel +1-877-6774040
info@microlinknet.com
70 East Sunrise Highway Valley Stream,
NY 11581, New York

EUROPE

Tel +44-20-37695558
uk@microlinknet.com
4th Floor, 18 St. Cross Street,
London, EC1N 8UN

MIDDLE EAST

Tel +971 4 556 1557
mena@microlinknet.com
Boulevard Plaza Tower One, Level 3,
Downtown Dubai, United Arab Emirates

